



Bearing No. RAKY7/8

N	11,989 mm
d	22,225 mm
A	37,008 mm
B	34,113 mm
H	33,351 mm
J	103,759 mm
L	139,7 mm
N1	9,246 mm
S1	19,812 mm
A1	21,997 mm
H1	14,301 mm
H2	68,276 mm
Noun	Bearing
Bore	0.875 Inch 22.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	1.985
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAKY7/8
Rolling Element	Ball Bearing

Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 7/8" Bore; 1-5/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3.721" Minimum Bolt Spacing; 4.449" Bolt Spacing Maximum; Relubricatable; Cast
Length Thru Bore	1.343 Inch 34.1 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.9
Bore Diameter (mm)	22,225
Insert Part Number	GY1014KRRB
Bolt Spacing Maximum	4.449 Inch 113Millimeter
Bolt Spacing Minimum	3.721 Inch 94.513Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	1.313 Inch 33.35 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAKY7/8
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	4.1 Inch 105 Millimeter

