



**Bearing No. RASE1-1/2**

N	15,012 mm
d	38,1 mm
A	50,013 mm
B	56,49 mm
H	49,2 mm
J	135,992 mm
L	181,509 mm
H2	100 mm
S1	35,103 mm
d3	57,989 mm
A1	32,995 mm
H1	19,99 mm
N1	10,999 mm
Noun	Bearing
Bore	1.5 Inch   38.1 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	4.631
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Product Group	M06110
Bearing number	RASE1-1/2
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set Screw

Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	2.217 Inch   56.3 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-1/2" Bore; 1-15/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4-59/64" Minimum Bolt Spacing; 5.787" Bolt Spacing Maximum; Relubricatable;
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.1
Insert Part Number	G1108KRRB
Bore Diameter (mm)	38,1
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.921 Inch   125Millimeter
Bolt Spacing Maximum	5.787 Inch   147Millimeter
Base to Center Height	1.938 Inch   49.225 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASE1-1/2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to	5.4 Inch   136 Millimeter

Center	
--------	--