



Bearing No. RASE1-1/8

L	157,2 mm
d	28,575 mm
A	42,495 mm
B	48,489 mm
H	42,901 mm
J	117,501 mm
N	15,012 mm
N1	9,5 mm
S1	30,201 mm
d3	43,993 mm
A1	27,001 mm
H1	18,009 mm
H2	83,389 mm
Noun	Bearing
Bore	1.125 Inch 28.575 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	2.867
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	RASE1-1/8
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	1.906 Inch 48.42 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 1-1/8" Bore; 1-11/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.252" Minimum Bolt Spacing; 5" Bolt Spacing Maximum; Relubricatable; Cast I
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.3
Insert Part Number	G1102KRRB
Bore Diameter (mm)	28,575
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.252 Inch 108Millimeter
Bolt Spacing Maximum	5 Inch 127Millimeter
Base to Center Height	1.688 Inch 42.875 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASE1-1/8
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	4.8 Inch 121 Millimeter

Center	
--------	--