



Bearing No. RASE1-15/16

L	202,5 mm
d	49,213 mm
A	56,998 mm
B	62,789 mm
H	57,201 mm
J	157,506 mm
N	18,009 mm
N1	5,995 mm
S1	38,202 mm
d3	69,012 mm
A1	35,002 mm
H1	21,997 mm
H2	117 mm
Noun	Bearing
Bore	1.938 Inch 49.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	7.056
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	RASE1-15/16
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	2.469 Inch 62.7 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 1-15/16" Bore; 2-1/4" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5.965" Minimum Bolt Spacing; 6-7/16" Bolt Spacing Maximum; Relubricatable; C
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.2
Insert Part Number	G1115KRRB
Bore Diameter (mm)	49,213
Bolt Spacing Maximum	6.437 Inch 163.5Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	5.965 Inch 151.5Millimeter
Base to Center Height	2.25 Inch 57.15 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE1-15/16
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	6.3 Inch 160 Millimeter
-------------------------------	---------------------------