



**Bearing No. RASE1-3/16**

L	157,2 mm
d	30,163 mm
A	42,495 mm
B	48,489 mm
H	42,901 mm
J	117,501 mm
N	15,012 mm
N1	9,5 mm
S1	30,201 mm
d3	43,993 mm
A1	27,001 mm
H1	18,009 mm
H2	83,389 mm
Noun	Bearing
Bore	1.188 Inch   30.175 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	2.867
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set Screw

Bearing number	RASE1-3/16
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-3/16" Bore; 1-11/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.252" Minimum Bolt Spacing; 5" Bolt Spacing Maximum; Relubricatable; Cast
Length Thru Bore	1.906 Inch   48.42 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / Kilogram	1.56
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	30,163
Insert Part Number	G1103KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	5 Inch   127Millimeter
Bolt Spacing Minimum	4.252 Inch   108Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.688 Inch   42.875 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE1-3/16
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to	4.8 Inch   121 Millimeter

Center	
--------	--