



Bearing No. RASE1-3/4

L	195 mm
d	44,45 mm
A	51,791 mm
B	56,49 mm
H	54,001 mm
J	148,489 mm
N	14,301 mm
N1	11,989 mm
S1	35,103 mm
d3	62,992 mm
A1	35,002 mm
H1	21,997 mm
H2	107,011 mm
Noun	Bearing
Bore	1.75 Inch 44.45 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	5.292
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	RASE1-3/4
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Length Thru Bore	2.217 Inch 56.3 Millimeter
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 1-3/4" Bore; 2-1/8" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5-3/8" Minimum Bolt Spacing; 6.319" Bolt Spacing Maximum; Relubricatable; Cast
Weight / Kilogram	2.4
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	G1112KRRB
Bore Diameter (mm)	44,45
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Base to Center Height	2.125 Inch 53.98 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE1-3/4
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	5.8 Inch 146.5 Millimeter
-------------------------------	-----------------------------