



**Bearing No. RASE1-3/8**

L	172 mm
d	34,925 mm
A	46,508 mm
B	51,308 mm
H	47,6 mm
J	129,998 mm
N	15,012 mm
N1	7,9 mm
S1	32,512 mm
d3	51,004 mm
A1	27,991 mm
H1	19 mm
H2	93,701 mm
Noun	Bearing
Bore	1.375 Inch   34.925 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	3.749
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set Screw

Bearing number	RASE1-3/8
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-3/8" Bore; 1-7/8" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; Cast
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	2.012 Inch   51.1 Millimeter
Weight / Kilogram	1.916
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	34,925
Insert Part Number	G1106KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.807 Inch   122.1Millimeter
Bolt Spacing Maximum	5.429 Inch   137.9Millimeter
Base to Center Height	1.875 Inch   47.63 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE1-3/8
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter

Nominal Bolt Center to Center	5 Inch   127 Millimeter
-------------------------------	-------------------------