



Bearing No. RASE1-7/16

L	172 mm
d	36,513 mm
A	46,508 mm
B	51,308 mm
H	47,6 mm
J	129,998 mm
N	15,012 mm
N1	7,9 mm
S1	32,512 mm
d3	57,989 mm
A1	27,991 mm
H1	19 mm
H2	93,701 mm
Noun	Bearing
Bore	1.438 Inch 36.525 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	3.749
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	RASE1-7/16
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	2.012 Inch 51.1 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 1-7/16" Bore; 1-7/8" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; Cas
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.7
Insert Part Number	G1107KRRB
Bore Diameter (mm)	36,513
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.875 Inch 47.63 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASE1-7/16
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	5 Inch 127 Millimeter
-------------------------------	-------------------------