



Bearing No. RASE1/2

L	125 mm
d	12,7 mm
A	32,004 mm
B	37,389 mm
H	30,201 mm
J	91,999 mm
N	10,999 mm
N1	10,999 mm
S1	23,495 mm
d3	27,991 mm
A1	19 mm
H1	13,996 mm
H2	58 mm
Bore	0.5 Inch 12.7 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.213
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row Standard Shaft Height With Set Screw
Bearing number	RASE1/2
Mounting Method	Eccentric Collar

Rolling Element	Ball Bearing
Long Description	2 Bolt Pillow Block; 1/2" Bore; 1-3/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3-3/16" Minimum Bolt Spacing; 4.055" Bolt Spacing Maximum; Relubricatable; Cast
Length Thru Bore	1.469 Inch 37.3 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.648
Insert Part Number	G1008KRRB
Bore Diameter (mm)	12,7
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	4.055 Inch 103Millimeter
Bolt Spacing Minimum	3.189 Inch 81Millimeter
Base to Center Height	1.188 Inch 30.175 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RASE1/2
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	3.6 Inch 92 Millimeter

