


Bearing No. RASE100



N	30 mm
d	100 mm
A	95 mm
H	115 mm
J	308 mm
L	380 mm
N1	38 mm
S1	49,5 mm
d3	132 mm
A1	62 mm
B1	75 mm
H1	40 mm
H2	225 mm
Noun	Bearing
Bore	3.937 Inch 100 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	15,85 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	34.943
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set

	Screw
Bearing number	RASE100
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	2.953 Inch 75 Millimeter
Long Description	2 Bolt Pillow Block; 100MM Bore; 115MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	18.765
Bore Diameter (mm)	100
Insert Part Number	GE100KRRB
Bolt Spacing Maximum	0 Inch 0Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	4.528 Inch 115 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE100
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	12.1 Inch 308Millimeter

Basic dynamic load rating (C)	122 kN
Nominal Bolt Center to Center	12.1 Inch 308.5 Millimeter