


Bearing No. RASE120



N	33 mm
d	120 mm
A	105 mm
H	135 mm
J	358 mm
L	440 mm
N1	41 mm
S1	52,5 mm
d3	152 mm
A1	70 mm
B1	81 mm
H1	45 mm
H2	265 mm
Noun	Bearing
Bore	4.724 Inch   120 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	26,52 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	56.262
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set

	Screw
Bearing number	RASE120
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	3.189 Inch   81 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 120MM Bore; 135MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	25.54
Insert Part Number	GE120KRRB
Bore Diameter (mm)	120
Bolt Spacing Maximum	0 Inch   0Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	0 Inch   0Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	5.315 Inch   135 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE120
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	14.1 Inch   358Millimeter

Basic dynamic load rating (C)	155 kN
Nominal Bolt Center to Center	14.1 Inch   358 Millimeter