


Bearing No. RASE17



N	11 mm
d	17 mm
A	30 mm
H	30,2 mm
J	95 mm
L	125 mm
N1	19 mm
S1	23,4 mm
d3	28 mm
A1	18 mm
B1	37,4 mm
H1	10 mm
H2	57 mm
Noun	Bearing
Bore	0.669 Inch   17 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	0,5 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	M6
Weight / LBS	1.102
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set

	Screw
Bearing number	RASE17
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 17MM Bore; 30.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Length Thru Bore	1.472 Inch   37.4 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.599
Bore Diameter (mm)	17
Insert Part Number	GE17KRRB
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.189 Inch   30.2 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE17
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	3.7 Inch   95Millimeter

Nominal Bolt Center to Center	3.8 Inch   97 Millimeter
Basic dynamic load rating (C)	9,8 kN