



**Bearing No. RASE2**

L	225 mm
d	50,8 mm
A	62,51 mm
B	71,4 mm
H	63,5 mm
J	175,743 mm
N	18,009 mm
N1	11,253 mm
S1	43,612 mm
d3	69,012 mm
A1	35,002 mm
H1	24,994 mm
H2	126,492 mm
Noun	Bearing
Bore	2 Inch   50.8 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	8.82
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set Screw
Bearing number	RASE2

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 2" Bore; 2-1/2" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 6.476" Minimum Bolt Spacing; 7.362" Bolt Spacing Maximum; Relubricatable; Cast Iron
Length Thru Bore	2.811 Inch   71.4 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / Kilogram	3.688
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	50,8
Insert Part Number	G1200KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	6.476 Inch   164.5 Millimeter
Bolt Spacing Maximum	7.362 Inch   187 Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	2.5 Inch   63.5 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE2
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0 Millimeter
Nominal Bolt Center to Center	6.8 Inch   171.5 Millimeter

