



Bearing No. RASE2-7/16

L	245 mm
d	61,913 mm
A	64,999 mm
B	77,902 mm
H	69,901 mm
J	189,256 mm
N	18,009 mm
N1	12,243 mm
S1	46,889 mm
d3	83,998 mm
A1	46,99 mm
H1	27,991 mm
H2	140 mm
Noun	Bearing
Bore	2.438 Inch 61.925 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	12.348
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set Screw

Bearing number	RASE2-7/16
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	3.063 Inch 77.8 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 2-3/4" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 6-31/32" Minimum Bolt Spacing; 7.933" Bolt Spacing Maximum; Relubricatable; C
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	5.61
Insert Part Number	G1207KRRB
Bore Diameter (mm)	61,913
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	6.969 Inch 177Millimeter
Bolt Spacing Maximum	7.933 Inch 201.5Millimeter
Base to Center Height	2.75 Inch 69.85 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASE2-7/16
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	7.3 Inch 184 Millimeter
-------------------------------	---------------------------