



Bearing No. 52208

d	40 mm
D	68 mm
T	36 mm
B	9 mm
D1	42 mm
d2	30 mm
T2	22,5 mm
d3	68 mm
Noun	Bearing
UNSPSC	31171552
Banded	No
Bore 1	1.181 Inch 30 Millimeter
Height	1.417 Inch 36 Millimeter
Weight	0,543 Kg
Bore 2	1.654 Inch 42 Millimeter
r min.	1 mm
Da max.	55 mm
rb max.	0,6 mm
r1 min.	0,6 mm
ra max.	1 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	40x68x36
Width (mm)	36
Weight / LBS	1.19711
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308

Other Features	Double Row With Flat Seat
Bearing number	52208
Thrust Bearing	Yes
Keyword String	Ball Thrust
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Long Description	30MM Bore 1; 42MM Bore 2; 68MM Outside Diameter; 36MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Outside Diameter	2.677 Inch 68 Millimeter
Manufacturer URL	http://www.nskamericas.com
Weight / Kilogram	0.546
Manufacturer Name	NSK
Bore Diameter (mm)	40
Outer Diameter (mm)	68
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52208
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	2600 r/min
Basic static load rating (C0)	98,5 kN
Basic dynamic load rating (C)	47,5 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--