



Bearing No. 52209

d	45 mm
D	73 mm
T	37 mm
a	9 mm
d3	73 mm
D1	47 mm
d2	35 mm
T1	23 mm
D3	78 mm
D2	60 mm
Noun	Bearing
Banded	No
UNSPSC	31171552
Weight	0.620 Kg
Height	1.457 Inch 37 Millimeter
r min.	1 mm
Bore 2	1.85 Inch 47 Millimeter
Bore 1	1.378 Inch 35 Millimeter
r1 min.	0.6 mm
da min.	45 mm
Da max.	56 mm
ra max.	1 mm
Category	Thrust Ball Bearings
ra1 max.	0.6 mm
Size (mm)	45x73x37
Inventory	0.0
Width (mm)	37
Weight / LBS	1.36687
Inch - Metric	Metric

Product Group	B00234
Cage Material	Steel
Bearing number	52209
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	2.874 Inch 73 Millimeter
Manufacturer URL	http://www.nachi.com
Long Description	35MM Bore 1; 47MM Bore 2; 73MM Outside Diameter; 37MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0
Manufacturer Name	NACHI
Bore Diameter (mm)	45
Outer Diameter (mm)	73
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	2600 r/min
Basic dynamic load rating (C)	47,5 kN
Basic static load rating (C0)	105 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--