



Bearing No. 52212

T	46 mm
a	10 mm
d	60 mm
D	95 mm
D2	78 mm
D3	100 mm
D1	62 mm
T1	28 mm
d3	95 mm
d2	50 mm
Noun	Bearing
UNSPSC	31171552
r min.	1 mm
Bore 1	1.969 Inch 50 Millimeter
Banded	No
Height	1.811 Inch 46 Millimeter
Weight	1.25 Kg
Bore 2	2.441 Inch 62 Millimeter
r1 min.	0.6 mm
da min.	60 mm
Da max.	74 mm
ra max.	1 mm
ra1 max.	0.6 mm
Category	Thrust Ball Bearings
Size (mm)	60x95x46
Inventory	0.0
Width (mm)	46
Weight / LBS	2.75578

Inch - Metric	Metric
Product Group	B00234
Cage Material	Steel
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Bearing number	52212
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Outside Diameter	3.74 Inch 95 Millimeter
Manufacturer URL	http://www.nachi.com
Long Description	50MM Bore 1; 62MM Bore 2; 95MM Outside Diameter; 46MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer Name	NACHI
Weight / Kilogram	0
Bore Diameter (mm)	60
Outer Diameter (mm)	95
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
(Grease) Lubrication Speed	2000 r/min
Single or Double Direction	Double Direction
Basic static load rating (C0)	179 kN
Basic dynamic load rating (C)	73,5 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--