



Bearing No. RASE3/4

L	130 mm
d	19.05 mm
A	32,004 mm
B	43,688 mm
H	33,3 mm
J	96,012 mm
N	10,999 mm
N1	8,992 mm
S1	26,594 mm
d3	32,995 mm
A1	19,99 mm
H1	14,504 mm
H2	64,288 mm
Bore	0.75 Inch 19.05 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.323
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row Standard Shaft Height With Set Screw
Bearing number	RASE3/4

Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	1.721 Inch 43.713 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 3/4" Bore; 1-5/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3.425" Minimum Bolt Spacing; 4.134" Bolt Spacing Maximum; Relubricatable; Cast
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.707
Insert Part Number	G1012KRRB
Bore Diameter (mm)	19.05
Bolt Spacing Minimum	3.425 Inch 87Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	4.134 Inch 105Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.313 Inch 33.35 Millimeter
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RASE3/4
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	3.8 Inch 97 Millimeter

Center	
--------	--