


Bearing No. RASE35-N



N	14 mm
d	35 mm
A	45 mm
H	47,6 mm
J	126 mm
L	163 mm
N1	21 mm
S1	32,5 mm
d3	51 mm
A1	27 mm
B1	51,3 mm
H1	19 mm
H2	93 mm
Noun	Bearing
Bore	1.378 Inch 35 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	1,65 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	3.749
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set

	Screw
Bearing number	RASE35-N
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	2.012 Inch 51.1 Millimeter
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 122.1MM Minimum Bolt Spacing; 137.9MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land R
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0
Bore Diameter (mm)	35
Insert Part Number	GE35KRRB
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.874 Inch 47.6 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE35N
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion

Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	5 Inch 127 Millimeter
Basic dynamic load rating (C)	25,5 kN