



Bearing No. RASE5/8

N	10,999 mm
d	15,875 mm
A	32,004 mm
B	37,389 mm
H	30,201 mm
J	91,999 mm
L	125 mm
H1	13,996 mm
S1	23,495 mm
d3	27,991 mm
A1	19 mm
N1	10,999 mm
H2	58 mm
Noun	Bearing
Bore	0.625 Inch 15.875 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.213
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Product Group	M06110
Relubricatable	Yes
Other Features	Single Row Standard Shaft Height With Set Screw
Bearing number	RASE5/8
Keyword String	Pillow Block

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	1.469 Inch 37.3 Millimeter
Long Description	2 Bolt Pillow Block; 5/8" Bore; 1-3/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3-3/16" Minimum Bolt Spacing; 4.055" Bolt Spacing Maximum; Relubricatable; Cast
Weight / Kilogram	0.55
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	G1010KRRB
Bore Diameter (mm)	15,875
Bolt Spacing Maximum	4.055 Inch 103Millimeter
Bolt Spacing Minimum	3.189 Inch 81Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	1.188 Inch 30.175 Millimeter
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RASE5/8
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	3.6 Inch 92 Millimeter

Center	
--------	--