


Bearing No. RASE70



N	22 mm
d	70 mm
A	65 mm
H	79,4 mm
J	203 mm
L	260 mm
N1	28 mm
S1	44,6 mm
d3	96 mm
A1	44 mm
B1	66 mm
H1	27,5 mm
H2	156 mm
Noun	Bearing
Bore	2.756 Inch 70 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	6,15 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	14.134
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height With Set

	Screw
Bearing number	RASE70
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Length Thru Bore	2.602 Inch 66.1 Millimeter
Long Description	2 Bolt Pillow Block; 70MM Bore; 79.4MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 196.5MM Minimum Bolt Spacing; 208.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land R
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.215
Insert Part Number	GE70KRRB
Bore Diameter (mm)	70
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	7.736 Inch 196.5Millimeter
Bolt Spacing Maximum	8.209 Inch 208.5Millimeter
Base to Center Height	3.126 Inch 79.4 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE70
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion

Actual Bolt Center to Center	0 Inch 0Millimeter
Basic dynamic load rating (C)	62 kN
Nominal Bolt Center to Center	8 Inch 203 Millimeter