


Bearing No. RASE75



N	22 mm
d	75 mm
A	66 mm
H	82,5 mm
J	210 mm
L	265 mm
N1	30 mm
S1	45,6 mm
d3	100 mm
A1	48 mm
B1	67 mm
H1	27,5 mm
H2	164 mm
Noun	Bearing
Bore	2.953 Inch   75 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	6,58 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	16.604
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set

	Screw
Bearing number	RASE75
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 75MM Bore; 82.6MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 204MM Minimum Bolt Spacing; 218MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Ridin
Length Thru Bore	2.642 Inch   67.1 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	9.017
Bore Diameter (mm)	75
Insert Part Number	GE75KRRB
Bolt Spacing Maximum	8.583 Inch   218Millimeter
Bolt Spacing Minimum	8.031 Inch   204Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	3.252 Inch   82.6 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE75
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion

Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	8.3 Inch   210 Millimeter
Basic dynamic load rating (C)	62 kN