


Bearing No. RASE90



N	27 mm
d	90 mm
A	85 mm
H	101,6 mm
J	268 mm
L	330 mm
N1	35 mm
S1	46,6 mm
d3	118 mm
A1	55 mm
B1	69,6 mm
H1	35 mm
H2	200 mm
Noun	Bearing
Bore	3.543 Inch   90 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	12,12 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	26.72
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height   With Set

	Screw
Bearing number	RASE90
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	2.74 Inch   69.6 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 90MM Bore; 100MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	14.513
Insert Part Number	GE90KRRB
Bore Diameter (mm)	90
Bolt Spacing Maximum	0 Inch   0Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	0 Inch   0Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	3.937 Inch   100 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASE90
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	10.6 Inch   268Millimeter

Basic dynamic load rating (C)	96 kN
Nominal Bolt Center to Center	10.6 Inch   268 Millimeter