


Bearing No. RASEA40-N



d	40 mm
A	48 mm
H	49,2 mm
J	138 mm
L	179 mm
N	14 mm
N1	26 mm
d3	58 mm
A1	30 mm
B1	38 mm
H1	19 mm
H2	99 mm
Bore	1.575 Inch 40 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	1,71 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	3.771
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Radial Standard Shaft Height Metric

Bearing number	RASEA40-N
Mounting Method	Adapter Sleeve
Rolling Element	Ball Bearing
Length Thru Bore	1.496 Inch 38 Millimeter
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 40MM Bore; 49MM Base to Center Height; Adapter Sleeve Mount; Ball Bearing; 126MM Minimum Bolt Spacing; 150MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Land Riding Ru
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.048
Bore Diameter (mm)	40
Insert Part Number	GSH40RRB
Bolt Spacing Maximum	5.906 Inch 150Millimeter
Bolt Spacing Minimum	4.961 Inch 126Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	1.929 Inch 49 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEA40
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Nominal Bolt Center to	5.4 Inch 136 Millimeter

Center	
Basic dynamic load rating (C)	29,5 kN