


Bearing No. RASEL50-N



d	50 mm
A	54 mm
B	49,2 mm
H	57,2 mm
J	158 mm
L	200 mm
N	18 mm
N1	23 mm
S1	30,2 mm
A1	34 mm
H1	21,5 mm
H2	115 mm
Bore	1.969 Inch 50 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	2,6 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	7.056
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Radial Non Locating Bearing Metric

Bearing number	RASEL50-N
Mounting Method	Drive Slot
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	2.469 Inch 62.7 Millimeter
Long Description	2 Bolt Pillow Block; 50MM Bore; 57.2MM Base to Center Height; Drive Slot Mount; Ball Bearing; 151.5MM Minimum Bolt Spacing; 163.5MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Land Riding
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.948
Bore Diameter (mm)	50
Insert Part Number	GLE50KRRB
Bolt Spacing Minimum	5.965 Inch 151.5Millimeter
Bolt Spacing Maximum	6.437 Inch 163.5Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	2.252 Inch 57.2 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEL50
Number of Mounting Holes	2
Expansion / Non- expansion	Expansion
Nominal Bolt Center to	6.3 Inch 160 Millimeter

Center	
Basic dynamic load rating (C)	35 kN