



Bearing No. RASEY1-3/4

N	14,301 mm
d	44,45 mm
A	51,791 mm
B	49,2 mm
H	54,001 mm
J	148,489 mm
L	195 mm
N1	11,989 mm
S1	30,201 mm
A1	35,002 mm
H1	21,997 mm
H2	107,011 mm
Noun	Bearing
Bore	1.75 Inch 44.45 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	5.29
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height
Bearing number	RASEY1-3/4
Rolling Element	Ball Bearing

Mounting Method	Set Screw
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-3/4" Bore; 2-1/8" Base to Center Height; Set Screw Mount; Ball Bearing; 5-3/8" Minimum Bolt Spacing; 6.319" Bolt Spacing Maximum; Relubricatable; Cast Iron;
Length Thru Bore	1.937 Inch 49.2 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.4
Bore Diameter (mm)	44,45
Insert Part Number	GY1112KRRB
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	2.125 Inch 53.98 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY1-3/4
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	5.8 Inch 146.5 Millimeter

