


Bearing No. RASEY15



N	11 mm
d	15 mm
A	30 mm
B	27,4 mm
H	30,2 mm
J	95 mm
L	125 mm
N1	19 mm
S1	15,9 mm
A1	18 mm
H1	10 mm
H2	57 mm
Noun	Bearing
Bore	0.591 Inch   15 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	0,45 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	M6
Weight / LBS	1.21
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY15

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Length Thru Bore	1.079 Inch   27.4 Millimeter
Long Description	2 Bolt Pillow Block; 15MM Bore; 30.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 81MM Minimum Bolt Spacing; 103MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubber
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.55
Insert Part Number	GYE15KRRB
Bore Diameter (mm)	15
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	3.189 Inch   81Millimeter
Bolt Spacing Maximum	4.055 Inch   103Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.189 Inch   30.2 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY15
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter

Basic dynamic load rating (C)	9,8 kN
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter