



**Bearing No. RASEY15/16**

N	11,989 mm
d	23,813 mm
A	37,008 mm
B	34,113 mm
H	36,526 mm
J	104,801 mm
L	139,7 mm
N1	9,5 mm
S1	19,812 mm
A1	21,997 mm
H1	15,494 mm
H2	71,451 mm
Noun	Bearing
Bore	0.938 Inch   23.825 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	1.99
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY15/16
Rolling Element	Ball Bearing

Mounting Method	Set Screw
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Length Thru Bore	1.343 Inch   34.1 Millimeter
Long Description	2 Bolt Pillow Block; 15/16" Bore; 1-7/16" Base to Center Height; Set Screw Mount; Ball Bearing; 3.751" Minimum Bolt Spacing; 4-1/2" Bolt Spacing Maximum; Relubricatable; Cast Iron;
Weight / Kilogram	0.766
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GY1015KRRB
Bore Diameter (mm)	23,813
Bolt Spacing Minimum	3.751 Inch   95.275Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	4.5 Inch   114.3Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.438 Inch   36.525 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASEY15/16
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	4.1 Inch   105 Millimeter

