



**Bearing No. RASEY2-3/16**

N	18,009 mm
d	55,563 mm
A	62,51 mm
B	55,601 mm
H	63,5 mm
J	175,743 mm
L	225 mm
N1	11,253 mm
S1	33,401 mm
A1	35,002 mm
H1	24,994 mm
H2	126,492 mm
Noun	Bearing
Bore	2.188 Inch   55.575 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	8.82
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY2-3/16
Rolling Element	Ball Bearing

Mounting Method	Set Screw
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 2-3/16" Bore; 2-1/2" Base to Center Height; Set Screw Mount; Ball Bearing; 6.476" Minimum Bolt Spacing; 7.362" Bolt Spacing Maximum; Relubricatable; Cast Iron;
Length Thru Bore	2.189 Inch   55.6 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.688
Bore Diameter (mm)	55,563
Insert Part Number	GY1203KRRB
Bolt Spacing Minimum	6.476 Inch   164.5Millimeter
Bolt Spacing Maximum	7.362 Inch   187Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	2.5 Inch   63.5 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY2-3/16
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	6.8 Inch   171.5 Millimeter

