



**Bearing No. RASEY20-N**

J	97 mm
N	11 mm
d	20 mm
A	32 mm
B	31 mm
H	33,3 mm
L	130 mm
S1	18,3 mm
A1	19 mm
H1	14,5 mm
H2	64 mm
N1	19 mm
Noun	Bearing
Bore	0.787 Inch   20 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	0,58 Kg
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	1.32
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Product Group	M06110
Relubricatable	Yes
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY20-N
Keyword String	Pillow Block

Rolling Element	Ball Bearing
Mounting Method	Set Screw
Housing Material	Cast Iron
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	1.22 Inch   31 Millimeter
Long Description	2 Bolt Pillow Block; 20MM Bore; 33.3MM Base to Center Height; Set Screw Mount; Ball Bearing; 87MM Minimum Bolt Spacing; 105MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubber
Weight / Kilogram	0.6
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GYE20KRRB
Bore Diameter (mm)	20
Bolt Spacing Maximum	4.134 Inch   105Millimeter
Bolt Spacing Minimum	3.425 Inch   87Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.311 Inch   33.3 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY20
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Basic dynamic load	12,8 kN

rating (C)	
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter