


Bearing No. RASEY25-N



d	25 mm
A	36 mm
B	34,1 mm
H	36,5 mm
J	103 mm
L	130 mm
N	11 mm
N1	19 mm
S1	19,6 mm
A1	21 mm
H1	14,5 mm
H2	70 mm
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	0,7 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	1.99
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Radial Standard Shaft Height Metric

Bearing number	RASEY25-N
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	1.343 Inch 34.1 Millimeter
Long Description	2 Bolt Pillow Block; 25MM Bore; 36.5MM Base to Center Height; Set Screw Mount; Ball Bearing; 95.3MM Minimum Bolt Spacing; 114.3MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Land Riding Ru
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.9
Bore Diameter (mm)	25
Insert Part Number	GYE25KRRB
Bolt Spacing Minimum	3.752 Inch 95.3Millimeter
Bolt Spacing Maximum	4.5 Inch 114.3Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.437 Inch 36.5 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY25
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Nominal Bolt Center to	4.1 Inch 105 Millimeter

Center	
Basic dynamic load rating (C)	14 kN