



**Bearing No. RASEY3/4**

N	10,999 mm
d	19.05 mm
A	32,004 mm
B	30,988 mm
H	33,3 mm
J	96,012 mm
L	130 mm
N1	8,992 mm
S1	18,288 mm
A1	19,99 mm
H1	14,504 mm
H2	64,288 mm
Bore	0.75 Inch   19.05 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.32
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY3/4
Rolling Element	Ball Bearing
Mounting Method	Set Screw

Length Thru Bore	1.221 Inch   31.013 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 3/4" Bore; 1-5/16" Base to Center Height; Set Screw Mount; Ball Bearing; 3.425" Minimum Bolt Spacing; 4.134" Bolt Spacing Maximum; Relubricatable; Cast Iron; D
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.707
Bore Diameter (mm)	19.05
Insert Part Number	GY1012KRRB
Bolt Spacing Maximum	4.134 Inch   105Millimeter
Bolt Spacing Minimum	3.425 Inch   87Millimeter
Minimum Buy Quantity	N/A
Base to Center Height	1.313 Inch   33.35 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RASEY3/4
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter

