


Bearing No. RASEY40-N



N	14 mm
d	40 mm
A	48 mm
B	49,2 mm
H	49,2 mm
J	138 mm
L	179 mm
N1	26 mm
S1	30,2 mm
A1	30 mm
H1	19 mm
H2	99 mm
Noun	Bearing
Bore	1.575 Inch   40 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	1,84 Kg
UNSPSC	31171511
Category	Pillow Block
Inventory	6.0
Thread (Q)	Rp1/8
Weight / LBS	4.63
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Radial   Standard Shaft Height   Metric

Bearing number	RASEY40-N
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	1.937 Inch   49.2 Millimeter
Long Description	2 Bolt Pillow Block; 40MM Bore; 49.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 125MM Minimum Bolt Spacing; 147MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Land Riding Rubbe
Housing Material	Cast Iron
Weight / Kilogram	2.1
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GYE40KRRB
Bore Diameter (mm)	40
Bolt Spacing Minimum	4.921 Inch   125Millimeter
Bolt Spacing Maximum	5.787 Inch   147Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	1.937 Inch   49.2 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY40
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Basic dynamic load	32,5 kN

rating (C)	
Nominal Bolt Center to Center	5.4 Inch   136 Millimeter