


Bearing No. RASEY45



N	14 mm
d	45 mm
A	48 mm
B	49,2 mm
H	54 mm
J	150 mm
L	192 mm
N1	29 mm
S1	30,2 mm
A1	32 mm
H1	21,5 mm
H2	107 mm
Noun	Bearing
Bore	1.772 Inch   45 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	2,16 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	5.29
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY45

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Length Thru Bore	1.937 Inch   49.2 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 45MM Bore; 54MM Base to Center Height; Set Screw Mount; Ball Bearing; 136.5MM Minimum Bolt Spacing; 160.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rub
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.4
Insert Part Number	GYE45KRRB
Bore Diameter (mm)	45
Bolt Spacing Minimum	5.374 Inch   136.5Millimeter
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	6.319 Inch   160.5Millimeter
Base to Center Height	2.126 Inch   54 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY45
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter

Basic dynamic load rating (C)	32,5 kN
Nominal Bolt Center to Center	5.8 Inch   146.5 Millimeter