



**Bearing No. RASEY5/8**

N	10,999 mm
d	15,875 mm
A	32,004 mm
B	27,407 mm
H	30,201 mm
J	91,999 mm
L	125 mm
N1	10,999 mm
S1	15,901 mm
A1	19 mm
H1	13,996 mm
H2	58 mm
Bore	0.625 Inch   15.875 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.21
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY5/8
Rolling Element	Ball Bearing
Mounting Method	Set Screw

Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 5/8" Bore; 1-3/16" Base to Center Height; Set Screw Mount; Ball Bearing; 3-3/16" Minimum Bolt Spacing; 4.055" Bolt Spacing Maximum; Relubricatable; Cast Iron;
Length Thru Bore	1.079 Inch   27.4 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.55
Bore Diameter (mm)	15,875
Insert Part Number	GY1010KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	4.055 Inch   103Millimeter
Bolt Spacing Minimum	3.189 Inch   81Millimeter
Base to Center Height	1.188 Inch   30.175 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RASEY5/8
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	3.6 Inch   92 Millimeter

