


Bearing No. RASEY55



N	18 mm
d	55 mm
A	60 mm
B	55,6 mm
H	63,5 mm
J	176 mm
L	222 mm
N1	30 mm
S1	33,4 mm
A1	35 mm
H1	22,5 mm
H2	124,5 mm
Noun	Bearing
Bore	2.165 Inch 55 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	3,22 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	8.82
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height
Bearing number	RASEY55

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 55MM Bore; 63.5MM Base to Center Height; Set Screw Mount; Ball Bearing; 164.5MM Minimum Bolt Spacing; 187MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rub
Length Thru Bore	2.189 Inch 55.6 Millimeter
Housing Material	Cast Iron
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	4.455
Insert Part Number	GYE55KRRB
Bore Diameter (mm)	55
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	6.476 Inch 164.5Millimeter
Bolt Spacing Maximum	7.362 Inch 187Millimeter
Base to Center Height	2.5 Inch 63.5 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY55
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Basic dynamic load rating (C)	43,5 kN
Nominal Bolt Center to Center	6.8 Inch 171.5 Millimeter