


Bearing No. RASEY60-N



N	18 mm
d	60 mm
A	60 mm
B	65,1 mm
H	69,9 mm
J	190 mm
L	240 mm
N1	28 mm
S1	39,7 mm
A1	42 mm
H1	25 mm
H2	140 mm
Noun	Bearing
Bore	2.362 Inch 60 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	4,27 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	12.35
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height
Bearing number	RASEY60-N

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Length Thru Bore	2.563 Inch 65.09 Millimeter
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 60MM Bore; 70MM Base to Center Height; Set Screw Mount; Ball Bearing; 177MM Minimum Bolt Spacing; 201.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubbe
Housing Material	Cast Iron
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	4.346
Insert Part Number	GYE60KRRB
Bore Diameter (mm)	60
Bolt Spacing Maximum	7.933 Inch 201.5Millimeter
Bolt Spacing Minimum	6.969 Inch 177Millimeter
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Base to Center Height	2.756 Inch 70 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY60
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	7.3 Inch 184 Millimeter
Basic dynamic load rating (C)	52 kN