



Bearing No. RASEY7/8

N	11,989 mm
d	22,225 mm
A	37,008 mm
B	34,113 mm
H	36,526 mm
J	104,801 mm
L	139,7 mm
N1	9,5 mm
S1	19,812 mm
A1	21,997 mm
H1	15,494 mm
H2	71,451 mm
Noun	Bearing
Bore	0.875 Inch 22.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	1.99
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height
Bearing number	RASEY7/8
Rolling Element	Ball Bearing

Mounting Method	Set Screw
Manufacturer URL	http://www.ina.com
Length Thru Bore	1.343 Inch 34.1 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 7/8" Bore; 1-7/16" Base to Center Height; Set Screw Mount; Ball Bearing; 3.751" Minimum Bolt Spacing; 4-1/2" Bolt Spacing Maximum; Relubricatable; Cast Iron; D
Weight / Kilogram	0.9
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GY1014KRRB
Bore Diameter (mm)	22,225
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	3.751 Inch 95.275Millimeter
Bolt Spacing Maximum	4.5 Inch 114.3Millimeter
Base to Center Height	1.438 Inch 36.525 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RASEY7/8
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	4.1 Inch 105 Millimeter

