


Bearing No. RASEY70



N	22 mm
d	70 mm
A	65 mm
B	74,6 mm
H	79,4 mm
J	203 mm
L	260 mm
N1	28 mm
S1	44,4 mm
A1	44 mm
H1	27,5 mm
H2	156 mm
Noun	Bearing
Bore	2.756 Inch   70 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	5,93 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	12.46
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Standard Shaft Height
Bearing number	RASEY70

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Long Description	2 Bolt Pillow Block; 70MM Bore; 79.4MM Base to Center Height; Set Screw Mount; Ball Bearing; 196.5MM Minimum Bolt Spacing; 208.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding R
Length Thru Bore	2.937 Inch   74.6 Millimeter
Housing Material	Cast Iron
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.215
Insert Part Number	GYE70KRRB
Bore Diameter (mm)	70
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	7.736 Inch   196.5Millimeter
Bolt Spacing Maximum	8.209 Inch   208.5Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	3.126 Inch   79.4 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY70
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter

Basic dynamic load rating (C)	62 kN
Nominal Bolt Center to Center	8.3 Inch   210 Millimeter