


Bearing No. RASEY80



J	232 mm
H	89 mm
d	80 mm
N	26 mm
L	290 mm
A	78 mm
B	82,6 mm
H2	175 mm
N1	35 mm
H1	30 mm
A1	55 mm
S1	49,3 mm
Bore	3.15 Inch   80 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	8,41 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	19.03
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Product Group	M06110
Other Features	Single Row   Standard Shaft Height
Keyword String	Pillow Block
Mounting Bolts	26 Millimeter
Relubricatable	Yes
Bearing number	RASEY80

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Length Thru Bore	3.252 Inch   82.6 Millimeter
Long Description	2 Bolt Pillow Block; 80MM Bore; 88.9MM Base to Center Height; Set Screw Mount; Ball Bearing; 224MM Minimum Bolt Spacing; 240MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubbe
Housing Material	Cast Iron
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	11.266
Insert Part Number	GYE80KRRB
Bore Diameter (mm)	80
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	8.819 Inch   224Millimeter
Bolt Spacing Maximum	9.449 Inch   240Millimeter
Base to Center Height	3.5 Inch   88.9 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY80
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter

Nominal Bolt Center to Center	9.1 Inch   232 Millimeter
Basic dynamic load rating (C)	72 kN