



Bearing No. RCJ100

N	27 mm
d	100 mm
V	230 mm
U	77,5 mm
A	46 mm
J	210 mm
L	265 mm
d3	132 mm
A1	25 mm
B1	75 mm
A2	28 mm
Noun	Bearing
Bore	3.937 Inch 100 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	12,25 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	8.268 Inch 210 Millimeter
Weight / LBS	27.007
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJ100
Other Features	Single Row With Set Screw
Keyword String	Flanged

Relubricatable	Yes
Mounting Bolts	27 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Length Thru Bore	2.953 Inch 75 Millimeter
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 100MM Bore; 297MM Bolt Circle; 210MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 75MM Length Thru Bore; Relubricatable; Double Land Riding
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	14.669
Insert Part Number	GE100KRRB
Bore Diameter (mm)	100
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ100
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	122 kN

Nominal Bolt Circle Diameter Round	11.7 Inch 297 Millimeter
---------------------------------------	-------------------------------