



Bearing No. RCJ25-N

d	25 mm
V	74 mm
U	46 mm
A	29 mm
J	70 mm
L	95 mm
N	11,5 mm
A2	19 mm
d3	37,5 mm
A1	11 mm
B1	44,5 mm
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	0,82 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	1.985
Bolt Spacing	2.756 Inch 70 Millimeter
Product Group	M06110
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row End Cap With Set Screw

Bearing number	RCJ25-N
Mounting Bolts	11.5 Millimeter
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	1.748 Inch 44.4 Millimeter
Long Description	4 Bolt Square Flange Block; 25MM Bore; 99MM Bolt Circle; 70MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 44.4MM Length Thru Bore; Relubricatable; Double Land Riding
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.042
Bore Diameter (mm)	25
Insert Part Number	GE25KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ25N
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	14 kN

Nominal Bolt Circle Diameter Round	3.9 Inch 99 Millimeter
------------------------------------	--------------------------