



Bearing No. RCJ30-N

N	11,5 mm
d	30 mm
V	85 mm
U	50,2 mm
A	29 mm
J	82,5 mm
L	108 mm
A2	20 mm
d3	44 mm
A1	12 mm
B1	48,5 mm
Noun	Bearing
Bore	1.181 Inch 30 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	1,16 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	3.248 Inch 82.5 Millimeter
Weight / LBS	2.867
Product Group	M06110
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row End Cap With Set Screw

Bearing number	RCJ30-N
Mounting Bolts	11.5 Millimeter
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	1.906 Inch 48.42 Millimeter
Long Description	4 Bolt Square Flange Block; 30MM Bore; 117MM Bolt Circle; 82.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 48.42MM Length Thru Bore; Relubricatable; Double Land Rid
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.389
Bore Diameter (mm)	30
Insert Part Number	GE30KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ30N
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	19,5 kN

Nominal Bolt Circle Diameter Round	4.6 Inch 117 Millimeter
---------------------------------------	---------------------------