



Bearing No. RCJ70

N	18 mm
d	70 mm
V	165 mm
U	82,6 mm
A	52 mm
J	150 mm
L	188 mm
d3	96 mm
A1	18 mm
B1	66 mm
A2	38 mm
Noun	Bearing
Bore	2.756 Inch 70 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	5,85 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.906 Inch 150 Millimeter
Weight / LBS	13.01
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJ70
Other Features	Single Row With Set Screw
Keyword String	Flanged

Relubricatable	Yes
Mounting Bolts	18 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Length Thru Bore	2.602 Inch 66.1 Millimeter
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 70MM Bore; 212.1MM Bolt Circle; 150MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 66.1MM Length Thru Bore; Relubricatable; Double Land Rid
Manufacturer URL	http://www.ina.com
Weight / Kilogram	6.856
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE70KRRB
Bore Diameter (mm)	70
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0 Inch 0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ70
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN

Nominal Bolt Circle Diameter Round	8.4 Inch 212.1 Millimeter
---------------------------------------	--------------------------------