



Bearing No. RCJ75

d	75 mm
V	170 mm
U	86,9 mm
A	55,8 mm
J	153 mm
L	197 mm
N	23 mm
A2	41,3 mm
d3	100 mm
A1	20 mm
B1	67 mm
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	6,5 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	14.333
Bolt Spacing	6.024 Inch 153 Millimeter
Product Group	M06110
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row With Set Screw

Bearing number	RCJ75
Mounting Bolts	23 Millimeter
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	2.642 Inch 67.1 Millimeter
Long Description	4 Bolt Square Flange Block; 75MM Bore; 215MM Bolt Circle; 153MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 67.1MM Length Thru Bore; Relubricatable; Double Land Ridin
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.647
Bore Diameter (mm)	75
Insert Part Number	GE75KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ75
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN

Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
---------------------------------------	---------------------------