



**Bearing No. RCJL60-N**

N	18 mm
d	60 mm
V	150 mm
U	71,3 mm
A	46 mm
B	61,9 mm
J	143 mm
L	175 mm
A1	16 mm
A2	34 mm
Noun	Bearing
Bore	2.362 Inch   60 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	4,22 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	9.28
Bolt Spacing	5.63 Inch   143 Millimeter
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJL60-N
Other Features	Single Row   Radial   Non Locating Bearing   Metric
Keyword String	Flanged

Relubricatable	Yes
Mounting Bolts	18 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Drive Slot
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 60MM Bore; 202MM Bolt Circle; 143MM Bolt Spacing; 1 Piece Solid; Drive Slot Mount; Cast Iron; Ball Bearing; 61.9MM Length Thru Bore; Relubricatable; Double Land Riding Rubb
Length Thru Bore	2.437 Inch   61.9 Millimeter
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / Kilogram	5.058
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GLE60KRRB
Bore Diameter (mm)	60
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJL60
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Expansion / Non-expansion	Expansion
Basic dynamic load rating (C)	52 kN
Nominal Bolt Circle Diameter Round	8 Inch   202 Millimeter

