



Bearing No. 52313

d	65 mm
D	115 mm
T	65 mm
B	15 mm
d2	55 mm
T2	40 mm
d3	115 mm
D1	67 mm
Noun	Bearing
Bore 2	2.638 Inch 67 Millimeter
Weight	2,8 Kg
Height	2.559 Inch 65 Millimeter
Bore 1	2.165 Inch 55 Millimeter
UNSPSC	31171552
r min.	1,1 mm
Banded	No
Da max.	90 mm
rb max.	0,6 mm
ra max.	1 mm
r1 min.	0,6 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	65x115x65
Width (mm)	65
Weight / LBS	6.17294
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel

Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Bearing number	52313
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Long Description	55MM Bore 1; 67MM Bore 2; 115MM Outside Diameter; 65MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Outside Diameter	4.528 Inch 115 Millimeter
Weight / Kilogram	2.9
Manufacturer Name	NSK
Bore Diameter (mm)	65
Outer Diameter (mm)	115
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52313
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	1500 r/min
Basic dynamic load rating (C)	123 kN
Basic static load rating (C0)	282 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--