




Bearing No. 52316

d	80 mm
D	140 mm
T	79 mm
B	18 mm
d2	65 mm
T2	48,5 mm
d3	140 mm
D1	82 mm
Noun	Bearing
Bore 1	2.559 Inch 65 Millimeter
Weight	4,99 Kg
Height	3.11 Inch 79 Millimeter
Bore 2	3.228 Inch 82 Millimeter
UNSPSC	31171552
r min.	1,5 mm
Banded	No
Da max.	110 mm
rb max.	1 mm
ra max.	1,5 mm
r1 min.	1 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	80x140x79
Width (mm)	79
Weight / LBS	11.001
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel
Keyword String	Ball Thrust

Other Features	Double Row With Flat Seat
Bearing number	52316
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Long Description	65MM Bore 1; 82MM Bore 2; 140MM Outside Diameter; 79MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Outside Diameter	5.512 Inch 140 Millimeter
Manufacturer URL	http://www.nskamericas.com
Weight / Kilogram	4.99
Manufacturer Name	NSK
Bore Diameter (mm)	80
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52316
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	1200 r/min
Basic dynamic load rating (C)	164 kN
Basic static load rating (C0)	395 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter

