



Bearing No. RCJO60

N	23 mm
d	60 mm
V	170 mm
U	78,4 mm
A	49,5 mm
J	150 mm
L	195 mm
d3	89 mm
A1	22 mm
B1	68,4 mm
A2	33 mm
Noun	Bearing
Bore	2.362 Inch 60 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	6,8 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.906 Inch 150 Millimeter
Weight / LBS	14.99
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Product Group	M06110
Bearing number	RCJO60
Other Features	Single Row Extended Inner Race With Set Screw

Keyword String	Flanged
Relubricatable	Yes
Mounting Bolts	23 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Length Thru Bore	2.693 Inch 68.4 Millimeter
Housing Material	Cast Iron
Long Description	4 Bolt Square Flange Block; 60MM Bore; 212.1MM Bolt Circle; 150MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 68.4MM Length Thru Bore; Relubricatable; Double Land Rid
Manufacturer URL	http://www.ina.com
Weight / Kilogram	8.143
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GNE60KRRB
Bore Diameter (mm)	60
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJO60
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load	82 kN

rating (C)	
Nominal Bolt Circle Diameter Round	8.4 Inch 212.1 Millimeter