



Bearing No. RCJT35-N

d	35 mm
V	92 mm
U	53,5 mm
A	30,5 mm
H	155 mm
J	130 mm
L	92 mm
N	14 mm
A2	21 mm
d3	51 mm
A1	12,5 mm
B1	51,3 mm
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
Weight	1,19 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.118 Inch 130 Millimeter
Weight / LBS	2.867
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row End Cap

	With Set Screw
Bearing number	RCJT35-N
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 35MM Bore; 130MM Bolt Circle; 130MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 51.1MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Length Thru Bore	2.012 Inch 51.1 Millimeter
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE35KRRB
Bore Diameter (mm)	35
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0 Inch 0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RCJT35N
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load	25,5 kN

rating (C)	
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter